LITEX SURFACE®

Foshan Litex Surface Co.,Ltd

Building 2, Jitelfu Science andTechnology Innovation Park,
Huabao South Road, ChanchengDistrict, Foshan, Guangdong,China

18988685971

export@litexsurface.com
www.litexsurface.com

About Litex

About Litex

Litex Surface founded in 2018, as an integrated professional sintered stone brand under the global strategy. we always takes originality and continuous inovation as the core. We focus on the great design and R&D for Sintered Stone, and strive to provide users with high-quality products and professional solutions.

Litex Surface focuses on the new high-end sintered stone in super large size. With its unique specifications and performance, designers have more possibilities in space applications, and bring users a great space expreience.

CONTENTS

005.

Litex Original

109.

Performance Advantages
And
Packaging Information

Litex Original

Litex Original

Since the foundation, originality and continuous innovation are the core values of Litex Surface. Adhering to the brand spirit of youth, professionalism and internationalization, Litex Surface is the global brand based on China by the most high-tech production technology from the major production areas in the world. Combined with its own original design, to achieve more diversified and excellent slab Texture performance. Through the global layout of the product matrix and infinitely widening the application channels of slab, Litex Surface will continuously improve its core competitiveness and unique advantages and create an international Sintered Stone brand from China.

LITEX SURFACE®

Size

1600x3200mm

63''x126''

- **Floor**
  VARESE-XVM1

  size

  1600x3200x6mm /
  63"x126"x0.25"

- **Wall**
  NERO MARQUINA-XMP6

  size

  1600x3200x6mm /
  63"x126"x0.25"

- **Table**
  CARRARA- RMS7

  size

  1600x3200x12mm /
  63"x126"x0.5"

- **Floor**
  NORDIC STONE- XPD5

  size

  1200×2780×6mm /
  47"×109.5"×0.25"

- **Wall & Floor**
  VARESE- XVM2

  size

  1600x3200x6mm /
  63"x126"x0.25"

- **Wall & Floor**
  STATUARIO- XMH1

  size

  1600x3200x6mm /
  63"x126"x0.25"

- **Table**
  BLACK VENATO- RMM15

  size

  1600x3200x12mm /
  63"x126"x0.5"

- **Cabinet**
  BASALTINA - MA3B02M

  size

  1000×3000×3.5mm /
  39"×118"×0.14"

- **Wall**
  CEMENT ART - XVM5

  size

  1200×2780×6mm /
  47"×94"×0.25"

- **Table**
  STATUARIO - RMH1

  size

  1600x3200x6mm /
  63"x126"x0.25"

STATUARIO

6
faces

12mm

Item No.	RMH1
Size	1600x3200 mm / 63"x 126"
Finish	HONED

6mm

Item No	XMH1
Size	1600x3200 mm / 63"x 126"
Finish	HONED



VARESE

6
faces

12mm

Item No.	RVM1
Size	1600x3200 mm / 63"x 126"
Finish	MATTE

6mm

Item No.	XVM1
Size	1600x3200 mm / 63"x 126"
Finish	MATTE



VARESE

6
faces

12mm

Item No.	RVM2
Size	1600x3200 mm / 63"x 126"
Finish	MATTE

6mm

Item No.	XVM2
Size	1600x3200 mm / 63"x 126"
Finish	MATTE



OXFORD GREY

3
faces

12mm

Item No.	RMS23
Size	1600x3200 mm / 63"x 126"
Finish	SATIN



CARRARA

6
faces

12mm

Item No.	RMS7
Size	1600x3200 mm / 63"x 126"
Finish	SATIN



PIETRA GREY

6 faces

12mm

Item No.	RMM5
Size	1600x3200 mm / 63"x 126"
Finish	MATTE

6mm

Item No.	XMM5
Size	1600x3200 mm / 63"x 126"
Finish	MATTE



NERO MARQUINA

6 faces

12mm

Item No.	RMM6
Size	1600x3200 mm / 63"x 126"
Finish	MATTE

6mm

Item No.	XMP6
Size	1600x3200 mm / 63"x 126"
Finish	POLISHED



DANBY

6
faces

12mm

Item No.	RMH13
Size	1600x3200 mm / 63"x 126"
Finish	HONED

6mm

Item No.	XMH13
Size	1600x3200 mm / 63"x 126"
Finish	HONED



CALACATTA BORGHINI

6
faces

12mm

Item No.	RMH14
Size	1600x3200 mm / 63"x 126"
Finish	HONED

6mm

Item No.	XMH14
Size	1600x3200 mm / 63"x 126"
Finish	HONED



BLACK VENATO

6 faces

12mm

Item No.	RMM15
Size	1600x3200 mm / 63"x 126"
Finish	MATTE

6mm

Item No.	XMP15
Size	1600x3200 mm / 63"x 126"
Finish	POLISHED



NOIR DESIR

2 faces

12mm

Item No.	RMS19
Size	1600x3200 mm / 63"x 126"
Finish	SATIN



BIANCO LASA

4 faces

12mm

Item No.	RMS20
Size	1600x3200 mm / 63″x 126″
Finish	SATIN

6mm

Item No.	XMH20
Size	1600x3200 mm / 63″x 126″
Finish	HONED



ARABASCO

5 faces

12mm

Item No.	RMH24
Size	1600x3200 mm / 63″x 126″
Finish	HONED

6mm

Item No.	XMH24
Size	1600x3200 mm / 63″x 126″
Finish	HONED

PEARL

1
faces

12mm

Item No.	RPH1
Size	1600x3200 mm / 63"x 126"
Finish	HONED

12mm

Item No.	RPM1
Size	1600x3200 mm / 63"x 126"
Finish	MATTE



NERO

1
faces

12mm

Item No.	RPM2
Size	1600x3200 mm / 63"x 126"
Finish	MATTE



MAGIC

1
faces

12mm

Item No.	RQH1
Size	1600x3200 mm / 63"x 126"
Finish	HONED

MAGIC

1
faces

12mm

Item No.	RQH2
Size	1600x3200 mm / 63"x 126"
Finish	HONED



MAGIC

1
faces

12mm

Item No.	RQH3
Size	1600x3200 mm / 63”x 126”
Finish	HONED

MAGIC

1
faces

12mm

Item No.	RQP4
Size	1600x3200 mm / 63”x 126”
Finish	LUX

BOOK MATCH

STATUARIO

12 mm — **RMH1**
1600x3200 mm / 63"x 126" — HONED

6mm — **XMH1**
1600x3200 mm / 63"x 126" — HONED

SLAB A

SLAB B

BOOK MATCH

ARABASCO

1600x3200 mm / 63"x 126" — **6 mm**

HONED — **XMH24**

SLAB A

SLAB B

BOOK MATCH

CALACATTA BORGHINI

1600x3200 mm / 63"x 126" **6 mm**

HONED **XMH14**

SLAB A

SLAB B

BOOK MATCH

CALACATTA BORGHINI

1600x3200 mm / 63"x 126" **12 mm**

HONED **RMH14**

SLAB A

SLAB B

LITEX SURFACE®

Size

1200x2780mm

47''x109.5''

- **Wall & Floor**
  CEMENT ART- XVM3

  size

  1200x2780x6mm /
  47"x109.5"x0.25"

- **Wall**
  ALPS-XMM2

  size

  1200x2780x6mm /
  47"x109.5"x0.25"

- **Floor**
  GRISTONE-XPD0

  size

  1200x2780x6mm /
  47"x109.5"x0.25"

- **Wall**
  NORDIC STONE- XPD5

  size

  1200x2780x6mm /
  47"x109.5"x0.25"

- **Table**
  NERO - RPM2

  size

  1600x3200x12mm /
  63"x126"x0.5"

- **Floor**
  CEPPO- XPD7

  size

  1200x2780x6mm /
  47"x109.5"x0.25"

- **Wall**
  CEPPO- XPD7

  size

  1200x2780x6mm /
  47"x109.5"x0.25"

- **Floor**
  ARMANI- XMD30

  size

  1200x2780x6mm /
  47"x109.5"x0.25"

- **Wall & Floor**
  ARMANI - XMD33

  size

  1200x2780x6mm /
  47"x109.5"x0.25"

- **Floor**
  CEPPO - XPD7

  size

  1200x2780x6mm /
  47"x109.5"x0.25"

Floor
ARMANI-XMM31

size

1200×2780×6mm /
47"×109.5"×0.25"

ARMANI

4
faces

6mm

Item No.	XMM31 / XMD31
Size	1200x2780 mm / 47"x 109.5"
Finish	MATTE / DIGITAL

ARMANI

4
faces

6mm

Item No.	XMM32
Size	1200x2780 mm / 47”x 109.5”
Finish	MATTE

ARMANI

4
faces

6mm

Item No.	XMM33 / XMD33
Size	1200x2780 mm / 47”x 109.5”
Finish	MATTE / DIGITAL

CEMENT ART

3
faces

6mm

Item No.	XVM3
Size	1200x2780 mm / 47”x 109.5”
Finish	MATTE

CEMENT ART

3
faces

6mm

Item No.	XVM4
Size	1200x2780 mm / 47”x 109.5”
Finish	MATTE

CEMENT ART

3 faces

6mm

Item No.	XVM5
Size	1200x2780 mm / 47”x 109.5”
Finish	MATTE



CEMENT ART

3 faces

6mm

Item No.	XVM6
Size	1200x2780 mm / 47”x 109.5”
Finish	MATTE

CEPPO

3
faces

6mm

Item No.	XPD6
Size	1200x2780 mm / 47"x 109.5"
Finish	DIGITAL



CEPPO

3
faces

6mm

Item No.	XPD7
Size	1200x2780 mm / 47"x 109.5"
Finish	DIGITAL

GRISTONE

3
faces

6mm

Item No.	XPD0
Size	1200x2780 mm / 47”x 109.5”
Finish	DIGITAL

GRISTONE

3
faces

6mm

Item No.	XPD1
Size	1200x2780 mm / 47”x 109.5”
Finish	DIGITAL



NORDIC STONE

4
faces

6mm

Item No.	XPD5
Size	1200x2780 mm / 47"x 109.5"
Finish	DIGITAL

NATIVE

4
faces

6mm

Item No.	XPM8
Size	1200x2780 mm / 47"x 109.5"
Finish	MATTE

ALPS

4
faces

6mm

Item No.	XMM2
Size	1200x2780 mm / 47”x 109.5”
Finish	MATTE

TRAVERTINE

3
faces

6mm

Item No.	XPM4
Size	1200x2780 mm / 47”x 109.5”
Finish	MATTE

LITEX SURFACE®

Size

1200x2800mm

47"x110"

- **Wall**
  IMPRESSIONIST - XCS1

  size

  1200x2800x6mm /
  47”x110”x0.25”

- **Floor**
  ARMANI - NMM32

  size

  800x2600x9mm /
  31.5”x102”x0.35”

- **Wall**
  IMPRESSIONIST - XCS2

  size

  1200x2800x6mm /
  47”x110”x0.25”

- **Floor**
  CEMENT ART - NVM4

  size

  800x2600x9mm /
  31.5”x102”x0.35”

- **Wall**
  IMPRESSIONIST - XCS5

  size

  1200x2800x6mm /
  47"x110"x0.25"

  IMPRESSIONIST - XCS1

  size

  1200x2800x6mm /
  47"x110"x0.25"

- **Floor**
  VARESE - RVM2

  size

  1600x3200x12mm /
  63"x126"x0.5"

- **Wall**
  IMPRESSIONIST - XCS6

  size

  1200x2800x6mm /
  47"x110"x0.25"

- **Floor**
  OXYDE - 0005320

  size

  1600x3200x12mm /
  63"x126"x0.5"



IMPRESSIONIST

1
faces

6mm

Item No.	XCS1
Size	1200x2800 mm / 47"x 110"
Finish	SOFT TOUCH



IMPRESSIONIST

1
faces

6mm

Item No.	XCS2
Size	1200x2800 mm / 47"x 110"
Finish	SOFT TOUCH



IMPRESSIONIST

1
faces

6mm

Item No.	XCS3
Size	1200x2800 mm / 47”x 110”
Finish	SOFT TOUCH

IMPRESSIONIST

1
faces

6mm

Item No.	XCS4
Size	1200x2800 mm / 47”x 110”
Finish	SOFT TOUCH



IMPRESSIONIST

1
faces

6mm

Item No.	XCS5
Size	1200x2800 mm / 47”x 110”
Finish	SOFT TOUCH



IMPRESSIONIST

1
faces

6mm

Item No.	XCS6
Size	1200x2800 mm / 47”x 110”
Finish	SOFT TOUCH

LITEX SURFACE®

Size

1200x2400mm

47"x94.5"

- **Table**
  VARESE - RVM2

  size

  1600x3200mmx12mm /
  63"x 126"x0.5"

- **Wall & Floor**
  BLEU DE SAVOIE - NPM9

  size

  1200x2400x9mm /
  47"x94"x0.35"

- **Wall**
  STAR LINE - NMM9

  size

  1200×2400×9mm /
  47"×94"×0.35"

- **Floor**
  NORDIK STONE - NPM11

  size

  1200×2400×9mm /
  47"×94"×0.35"

- **Wall**
  NORDIK STONE- NPM11

  size

  1200×2400×9mm /
  47"×94"×0.35"

- **Floor**
  STAR LINE- NMM8

  size

  1200×2400×9mm /
  47"×94"×0.35"

- **Floor**
  NORDIK STONE - NPM12

  size

  1200×2400×9mm /
  47"×94"×0.35"

- **Table**
  NERO MARQUINA - RMM6

  size

  1600×3200×12mm /
  60"×126"×0.5"

- **Wall**
  MOTHER LAND - NPM5-1224

  size

  1200×2400×9mm /
  47"×94"×0.35"

- **Floor**
  STAR LINE - NMM9

  size

  1200×2400×9mm /
  47"×94"×0.35"

- **Wall & Floor**
  MOTHER LAND- NPM6-1224

  size

  1200×2400×9mm /
  47"×94"×0.35"

- **Wall& Floor**
  MOTHER LAND- NPM5- 1224

  size

  1200×2400×9mm /
  47"×94"×0.35"

- **Wall**
  STAR LINE - NMM10

  size

  1200×2400×9mm /
  47"×94"×0.35"

- **Floor**
  MAYA - NPM10

  size

  1200×2400×9mm /
  47"×94"×0.35"

- **Wall**
  NORDIK STONE- NPM12

  size

  1200×2400×9mm /
  47"×94"×0.35"

- **Floor**
  STAR LINE- NMM10

  size

  1200×2400×9mm /
  47"×94"×0.35"



STAR LINE

3
faces

9mm

Item No.	NMM10
Size	1200×2400×9mm / 47"×94"×0.35"
Finish	MOULDING SEMI-POLISHED



STAR LINE

3
faces

9mm

Item No.	NMM8
Size	1200×2400×9mm / 47"×94"×0.35"
Finish	MOULDING SEMI-POLISHED

STAR LINE

3
faces

9mm

Item No.	NMM9
Size	1200×2400×9mm / 47"×94"×0.35"
Finish	MOULDING SEMI-POLISHED

BLEU DE SAVOIE

3
faces

9mm

Item No.	NPM9
Size	1200×2400×9mm / 47"×94"×0.35"
Finish	MOULDING SEMI-POLISHED



MAYA

3
faces

9mm

Item No.	NPM10
Size	1200×2400×9mm / 47"×94"×0.35"
Finish	MOULDING SEMI-POLISHED



NORDIK

3
faces

9mm

Item No.	NPM11
Size	1200×2400×9mm / 47"×94"×0.35"
Finish	MOULDING SEMI-POLISHED



NORDIK

3
faces

9mm

Item No.	NPM12
Size	1200×2400×9mm / 47"×94"×0.35"
Finish	MOULDING SEMI-POLISHED



MOTHER LAND

3
faces

9mm

Item No.	NPM5-1224
Size	1200×2400×9mm / 47"×94"×0.35"
Finish	MOULDING SEMI-POLISHED



MOTHER LAND

3
faces

9mm

Item No.	NPM6-1224
Size	1200×2400×9mm / 47"×94"×0.35"
Finish	MOULDING SEMI-POLISHED

LITEX SURFACE®

Size

800x2700mm

31.5''x106.2''

- **Floor**

  NORDIK STONE- 0005326

  size

  1600x3200x12mm /
  63"x126"x0.5"

- **Cabinet**

  BASALTINA - MA3B02M

  size

  1000x3000x3.5mm /
  39"x118"x0.14"

- **Countertop**

  PEARL - TPM1

  size

  800x2700x15mm /
  31.5"x106.2"x0.59"

- **Floor & Wall**

  PIETRA GREY - XMM5

  size

  1600x3200x6mm /
  63"x126"x0.25"

- **Table**

  PIETRA GREY - TMM5

  size

  800x2700x15mm /
  31.5"x106.2"x0.59"

- **Cupboard**

  URBAN NATURAL- MA3U02M

  size

  1000x3000x3.5mm /
  39"x118"x0.14"

- **Floor**

  STAR LINE - NMM10

  size

  1200x2400x9mm /
  47"x94"x0.35"

- **Countertop**

  SICILIA STONE - TPM14

  size

  800x2700x15mm /
  31.5"x106.2"x0.59"

- **Cupboard**

  RE-EVOLUTION - MA3R01B

  size

  1000x3000x3.5mm /
  39"x118"x0.14"

- **Floor & Wall**

  ARMANI - XMM32

  size

  1200x2780x6mm /
  47"x109.5"x0.25"

- **Stairs**

  VARESE - TVM1

  size

  800x2700x15mm /
  31.5"x106.2"x0.59"

- **Floor**

  OXYDE- 0005320

  size

  1600x3200x12mm /
  63"x126"x0.5"

- **Table**

  PIETRA GREY - TMM5

  size

  800x2700x15mm /
  31.5"x106.2"x0.59"

- **Countertop**

  STATUARIO - TMM1

  size

  800x2700x15mm /
  31.5"x106.2"x0.59"

- **Cupboard**

  BASALTINA - MA3B02M

  size

  1000x3000x3.5mm /
  39"x118"x0.14"

- **Floor**

  CEPPO - XPD7

  size

  1200x2780x6mm /
  47"x109.5"x0.25"

- **Cupboard**

  STATUARIO EXTRA - MA3D01M

  size

  1000x3000x3.5mm /
  39"x118"x0.14"

- **Countertop &Table**

  NERO - TPM3

  size

  800x2700x15mm /
  31.5"x106.2"x0.59"

- **Floor**

  CEMENT ART - XVM4

  size

  1200x2780x6mm /
  47"x109.5"x0.25"

- **Cupboard**

  RE-EVOLUTION - MA3R01B

  size

  1000x3000x3.5mm /
  39"x118"x0.14"

- **Countertop &Table**

  NERO - TPM3

  size

  800x2700x15mm /
  31.5"x106.2"x0.59"

- **Floor & Wall**

  CEMENT ART - XVM5

  size

  1200x2780x6mm /
  47"x109.5"x0.25"

- **Stairs**

  VARESE - TVM1

  size

  800x2700x15mm /
  31.5"x106.2"x0.59"

VARESE

1
faces

15mm

Item No.	TVM1
Size	800×2700×15mm / 31.5"×106.2"×0.59"
Finish	MATTE



PEARL

1
faces

15mm

Item No.	TPM1
Size	800×2700×15mm / 31.5"×106.2"×0.59"
Finish	MATTE



NERO

1
faces

15mm

Item No.	TPM3
Size	800×2700×15mm / 31.5"×106.2"×0.59"
Finish	MATTE



ELEGANT GREY

1
faces

15mm

Item No.	TPM2
Size	800×2700×15mm / 31.5"×106.2"×0.59"
Finish	MATTE



SICILIA STONE

1
faces

15mm

Item No.	TPM14
Size	800×2700×15mm / 31.5"×106.2"×0.59"
Finish	MATTE

STATUARIO

1
faces

15mm

Item No.	TMM1
Size	800×2700×15mm / 31.5"×106.2"×0.59"
Finish	MATTE

PIETRA GREY

1
faces

15mm

Item No.	TMM5
Size	800×2700×15mm / 31.5"×106.2"×0.59"
Finish	MATTE

LITEX SURFACE®

Size

800x2600mm

31.5''x102.4''

- **Wall**
  STATUARIO VENATO - NMS22

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Floor**
  VARESE - NVM1

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Wall**
  NATIVE-NPM8

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Floor**
  ARMANI-NMM32

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Wall**
  ARMANI - NMM32

  size

  800×2600×9mm /
  31.5"×102"×0.35"

MOTHER LAND - NPM6

size

800×2600×9mm /
31.5"×102"×0.35"

- **Cabinet& Floor**
  MOTHER LAND - NPM5

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Wall**
  STATUARIO VENATO - NMS22

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Bar Counter**
  MOTHER LAND - NPM6

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Wall& Floor**
  MOTHER LAND - NPM5

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Floor**
  MOTHER LAND - NPM7

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Wall**
  NATIVE - NPM8

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Wall**
  MOTHER LAND - NPM7

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Floor**
  CEMENT ART - NVM3

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Wall**
  MOTHER LAND - NPM6

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Floor**
  TRAVERTINE - NPM3

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Wall**
  CEMENT ART- NVM4

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Floor**
  CEMENT ART- NVM5

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Wall**
  MOTHER LAND - NPM6

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Floor**
  CEMENT ART - NVM5

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Wall**
  CEMENT ART- NVM3

  size

  800×2600×9mm /
  31.5"×102"×0.35"

- **Floor**
  CEMENT ART- NVM4

  size

  800×2600×9mm /
  31.5"×102"×0.35"

CEMENT ART

4
faces

9mm

Item No.	NVM3
Size	800×2600×9mm / 31.5"×102"×0.35"
Finish	MATTE



CEMENT ART

4 faces

9mm

Item No.	NVM4
Size	800×2600×9mm / 31.5"×102"×0.35"
Finish	MATTE



CEMENT ART

4 faces

9mm

Item No.	NVM5
Size	800×2600×9mm / 31.5"×102"×0.35"
Finish	MATTE

NATIVE

4
faces

9mm

Item No.	NPM8
Size	800×2600×9mm / 31.5"×102"×0.35"
Finish	MATTE

VARESE

4
faces

9mm

Item No.	NVM1
Size	800×2600×9mm / 31.5"×102"×0.35"
Finish	MATTE

STATUARIO VENATO

4 faces

9mm

Item No.	NMS22
Size	800×2600×9mm / 31.5"×102"×0.35"
Finish	SATIN

TRAVERTINE

4 faces

9mm

Item No.	NPM3
Size	800×2600×9mm / 31.5"×102"×0.35"
Finish	MATTE

ARMANI

4
faces

9mm

Item No.	NMM32
Size	800×2600×9mm / 31.5"×102"×0.35"
Finish	MATTE



MOTHER LAND

3
faces

9mm

Item No.	NPM7
Size	800×2600×9mm / 31.5"×102"×0.35"
Finish	MATTE

MOTHER LAND

3
faces

9mm

Item No.	NPM5
Size	800×2600×9mm / 31.5"×102"×0.35"
Finish	MATTE

MOTHER LAND

3
faces

9mm

Item No.	NPM6
Size	800×2600×9mm / 31.5"×102"×0.35"
Finish	MATTE

PEDESTAL-MOUNTED WASHBASIN

Always-open drain.Waste hole can be placed on the ground or on the floor

DIM #	COD #
50L x 50P x 85H	00001LX

INTEGRATED TOP WITH DEGRADÈ WASHBASIN

Always-open drain

DIM #	COD #
90L x 55P x 15H	00002LX
120L x 55P x 15H	00003LX
90L x 50P x 15H	00032LX
120L x 50P x 15H	00033LX
ON DEMAND	00004LX

INTEGRATED TOP WITH 2 WASHBASINS

with stainless steel click clack drain

DIM #	COD #
160L x 55P x 15H	00008LX
160L x 50P x 15H	00040LX
ON DEMAND	00009LX

* Angled internal washbasin cover (included)

* Specify position of tap holes only when necessary
· Item can be ordered on demand in lengths from 120 cm to 240 cm
· Item can be ordered on demand in lengths from 100 cm to 220 cm

SEMI PEDESTAL WASHBASIN

Always-open drain

DIM #	COD #
50L x 50P x 40H	00031LX

INTEGRATED TOP WITH 1 WASHBASIN

with stainless steel click clack drain

DIM #	COD #
90L x 55P x15H	00005LX
120L x 55P x15H	00006LX
90L x 50P x15H	00038LX
120L x 50P x15H	00039LX
ON DEMAND	00007LX

* Angled internal washbasin cover (included)

INTEGRATED TOP WITH LARGE WASHBASIN

with stainless steel click clack drain

DIM #	COD #
90L x 55P x 15H	00034LX
120L x 55P x 15H	00036LX
90L x 50P x 15H	00035LX
120L x 50P x 15H	00037LX

* Angled internal washbasin cover (included)

SURFACE-MOUNTED WASHBASIN

with stainless steel click clack drain

DIM #	COD #
60L x 40P x 15H	00010LX

* Angled internal washbasin cover (included)

Edges

The LITEX's slabs, thanks to the color matching of the thickness with the surface, can be processed on the sides in different ways in order to obtain several finishes.
These procedures are achieved through machines often used for glass and natural stone, they provide flawless results and infinite furnishing solutions for both bathroom and kitchen spaces.



Squared ridge at 45°

Rounded ridge at 45°



Straight squared ridge

Rounded straight ridge



Double straight squared ridge

Double straight rounded ridge



L-shaped squared ridge

L-shaped rounded ridge

Material comparison

(12mm/9mm/6mm)

	Litex Surface		Quartz agglomerates	Laminates and Wood	Solid surface	Natural Stones	Steel
	MATTE/SATIN/HONED	LUX					
Hygienc	■■■	■■■	■■■	■	■■■	■	■■■
Non porous	■■■	■■■	■■■	■	■■■	■	■■■
Suitable for use outdoors	■■■	■■■	■	■	■■	■■	■■
Resistant to heat and high temperatures	■■■	■■■	■■	■	■	■■	■■■
Resistant to mould, mildew, and fungus	■■■	■■■	■■■	■■	■■■	■	■■■
Stain proof	■■■	■■	■■	■■	■■	■	■■■
Detergent-resistant	■■■	■■	■■	■■	■	■	■
Chemical resistance	■■■	■■	■■	■	■■	■	■■
Resistance to thermal shock	■■■	■■■	■■	■	■■	■■■	■■■
Frost resistance	■■■	■■■	■■■	■	■	■■	■■■
Dampness resistance	■■■	■■■	■■■	■	■■■	■	■■■
UV-resistant	■■■	■■■	■■	■	■	■■	■■■
Scratchproof and abrasion-resistant	■■■	■■	■■	■	■	■■	■
Easy to clean	■■■	■■■	■■■	■■	■■	■	■

Technical performance

(12mm/9mm/6mm)

PHYSICAL-CHEMICALPROPERTIES	STANDARD OF TEST	REQUIRED VALUE	LITEX AVERAGE VALUE		STANDARD OF TEST	INDUSTRY STANDARDS	LITEX AVERAGE VALUE
Sizes	ISO 10545.2	Length and width Thickness Linearity Wedging Warpage	±0,6% max ±5% max ±0,5% max ±0,6% max ±0,5% max	±0,1% ±0,5% ±0,1% ±0,1% ±0,1%	ASTM C-499	Deviation of average size<1,5% Range of thickness(inch.)<0,04% - Wedging±1% Warpage±1% of any edge	0.15% 0.17% - 0.014% 0.33%
Water absorption	ISO 10545.3	≤0,5%		0,06%≤E<0,5%	ASTM C-373	Tile shall be impervious	<0,05%
Flexural	ISO 10545.4	Breaking modulus	≤35N/mm²	53N/mm²			
Deep abrasion resistance	ISO 10545.6	Volume ≤175mm³		≤142mm³	ASTM C-501	≥100	217
Coef cient of linear thermal-expansion	ISO 10545.8	≤9x10⁻⁶°C⁻¹		6MK⁻¹	ASTM C-1028		Meets or exceeds requirements (Please ask for individual test reports)
Frost resistance	ISO 10545.12	Must not produce noticeable alteration to surface		Frost-proof	ASTM C-1026	No sample must show alterations to surface	Resistant
Chemical resistance	ISO 10545.13	UB minimum		Complying with the norm	ASTM C-650	To 10% HCL Acid-No sample must show visible signs of chemical attack to 10% KOH Alkali	Complying with the norm
Stain resistance	ISO 10545.14	1<X<5	Stains removed by hot running water (without detergent)		ASTM C-648	250 PSI or greater	
Color resistance to light	DIN 51094	Must not produce noticeable colour variation	No change in brightness or colour of samples				
Friction coefficient	BCRA REP CEC 6/81	Satisfactory friction 0.40≤ μ ≤0.74		>0,40 Matt surface			
Fire resistance		96/603/CE		A1			

Cleaning and Maintenance

Cleaning after installation

Litex products have a surface that's resistant to stains, hygienic and easy to maintain; to preserve these characteristics, thorough cleaning must occur as soon as installation is completed, eliminating any residues that may create a film on the surface of the product capable of retaining more dirt. Insufficient or late removal of grout, silicone and adhesive residues may leave stains that are difficult to remove.
Initial cleaning must therefore take place immediately after installation, using acid-based products, rubbing hard and rinsing well with plenty of water. This will permit the elimination of adhesive, cement, silicone residues, etc. All detergents available on the market may be
used with the sole exception of products containing hydrofluoric acid (compounds and derivatives) as per the EN 14411 standard.

NB: Take care to follow the instructions provided by the producer on the pack of the product used. Before cleaning the surface installed, it is always best to test the cleaning agents first on a sample of the material which has not been installed, or on a small, not very visible area.
We recommend the use of an acid cleaner (e.g.: DETERDEK - filasolutions.com) Epoxy grout residues should be removed with an alkaline cleaner
(e.g.: FILA CR10 - filasolutions.com)

Routine cleaning
For routine cleaning, it is enough to follow a few simple precautions which are mainly common sense once the material's characteristics are borne in mind.
• Use neutral, wax-free detergents diluted in water, always following the instructions on the packs.
• Clean water may be sufficient for frequent washes.
• Do not use acidic products or abrasive tools, which may make the surface of lapped materials matt, and compromise the cement-based materials used for sealing.
• All possible care should be taken to prevent the presence of material from outdoors which may cause scratches, quartz sand and other materials, since they may cause abrasion of the surface and reduce its shine.

• **VENTILATED FACADES**
The insulation installed behind the slab covering is most effective when perfectly dry; do not use violent water jets.
We recommend the use of a neutral cleaner (e.g.: FILACLEANER - filasolutions.com)

NB: Waxes, oily soaps and impregnating materials (water and oil-repellents) should not be used on porcelain stoneware.

Extraordinary cleaning

If the product requires extraordinary cleaning due to particularly stubborn stains, action should be taken as soon as possible, using the specific detergents recommended in the table below:

MACCHIA DA RIMUOVERE / STAIN FOR REMOVAL	CATEGORIA DI DETERGENTE / TYPE OF DETERGENT	DETERGENTI CONSIGLIATI / RECOMMENDED CLEANERS
OIL AND GREASE	ALKALINE CLEANERS	FILA**PS87 PRO**
BEER		
CHEWING GUM		
VINYL GLUE		
TYRE MARKS		
SILICONE	ALKALINE STAIN-REMOVERS OR SOLVENTS	FILA**ZERO SIL**
POLYURETHANE FOAM		
ADESIVO ADHESIVE TAPE RESIDUES		
WAX PASTEL MARKS		
INK	ALKALINE STAIN-REMOVERS OR CLEANERS	FILA**PS87 PRO** - FILA**SR95**
NICOTINE		
URINE AND VOMIT		
MARKER PEN STAINS		
HAIR DYE		
COFFEE		
WINE		
BLOOD		
COCA COLA		
SUCTION-CUP MARKS	ALKALINE CLEANERS	FILA**PS87 PRO** - FILA**CR10**
RUST	ACID CLEANERS OR RUST CONVERTERS	**DETERDEK PRO** - FILA **NO RUST**
CEMENT-SALTPETRE	ACID CLEANERS OR ACID DESCALER	**DETERDEK PRO** - FILA **PH ZERO**
LIMESCALE		
ALUMINIUM - METAL MARKS		
PENCIL		
EPOXY FILLER	ALKALINE CLEANERS	FILA**CR10**
VARNISH - PAINT	ALKALINE PAINT STRIPPERS OR SOLVENTS	FILA**NO PAINT STAR**
GRAFFITI		
DIRTY GROUT LINES	ALKALINE CLEANERS	**FUGANET**
BITUMEN	SOLVENTS	FILA**SOLV**
CANDLE WAX		
ROUTINE MAINTENANCE	NEUTRAL CLEANERS	FILA**CLEANER**
SCRATCH REMOVER WAX	ALKALINE STAIN-REMOVERS OR SOLVENTS	FILA**SOLV** - FILA**ZERO SIL**

NB: On polished products, do not use acid cleaners at high concentrations. They should be diluted in water to 10-15%. Before any use of cleaners, it is important always to test them on part of the surface, especially on polished products. All cleaning products should be diluted with water.

Packing information

A Frame	Nominal size	Work size	Thickness	Slabs/Packing	Sqm total	kg/pcs	Kg/Packing	G.W
	1600×3200mm	1600×3200mm	12mm	20	102.40	146	180	27900.00
	1600×3200mm	1600×3200mm	6mm	40	204.80	72.5	180	27720.00
	1200×2780mm	1200×2780mm	6mm	60	200.4	48.7	150	27648.00
	1200×2800mm	1200×2800mm	6mm	60	201.6	49	151	27270.00
	1200×2400mm	1200×2400mm	9mm	36	103.68	61	140	27032.00
	800×2600mm	800×2600mm	9mm	36	74.88	43	140	20376.00
	800×2700mm	800×2700mm	15mm	28	60.48	78	100	27288.00

A Frame	Size	Description			20'Container					40'Container				
	mm	Thickness (mm)	m²/pcs	kg/pcs	PLTS/ container	Pcs/ container	m²/ container	kg/ container	G.W	PLTS/ container	Pcs/ container	m²/ container	kg/ container	G.W
	1600x3200	6	5.12	72.5	3	120	614.40	8700.00	9240.00	9	360	1843.20	26100.00	27720.00
	1600x3200	12	5.12	146	3	60	307.20	8760.00	9300.00	9	180	921.60	26280.00	27900.00
	1200X2780	6	3.34	48.7	6	360	1200.96	17532.00	18432.00	9	540	1801.44	26298.00	27648.00
	1200X2400	9	2.88	61	6	216	622.08	13176.00	14016.00	12	432	1244.16	26352.00	28032.00
	800X2600	9	2.08	43	6	216	449.28	9288.00	10188.00	12	432	898.56	18576.00	20376.00
	800X2700	15	2.16	78	6	168	362.88	13104.00	13644.00	12	336	725.76	26208.00	27288.00
	1200X2800	6	3.36	49	6	360	1209.60	17640.00	18180.00	9	540	1814.40	26460.00	27270.00

Packing information

H-Bundle	Size	Description			20'Container					40'Container				
	mm	Thickness (mm)	m²/pcs	kg/pcs	PLTS/ container	Pcs/ container	m²/ container	kg/ container	G.W	PLTS/ container	Pcs/ container	m²/ container	kg/ container	G.W
	1600x3200	6	5.12	72.5	7	301	1541.12	21822.50	23082.50	21	903	4623.36	65467.50	69247.50
	1600x3200	12	5.12	146	7	154	788.48	22484.00	23744.00	21	462	2365.44	67452.00	71232.00
	1200X2780	6	3.34	48.7	12	516	1721.38	25129.20	26929.20	42	1806	6024.82	87952.20	94252.20
	1200X2800	6	3.36	49	12	516	1733.76	25284.00	27084.00	42	1806	6068.16	88494.00	94794.00